

## Publikationen 2008

Bäuerle T, Hilbig H, Bartling S, Kiessling F, Kersten A, Schmitt-Gräff A, Kauczor H-U, Delorme S, Berger MR  
MR Bevacizumab inhibits breast cancer induced osteolysis, surrounding soft tissue metastasis and angiogenesis in rats as visualized by VCT and MRI.

Neoplasia 10 (5) : 511-520 (2008)

Bartling SH, Dinkel J, Stiller W, Grasruck M, Madisch I, Kauczor HU, Semmler W, Gupta R, Kiessling F  
Intrinsic respiratory gating in small animal CT.

Eur Radiol (in press)

Bock M, Wacker FK

MR-guided Intravascular Interventions: Techniques and Applications.

Journal of Magnetic Resonance Imaging 27(2):326-338 (2008)

de Oliveira A, Rauschenberg J, Beyersdorff D, Semmler W, Bock M. Automatic Passive Tracking of an Endorectal Prostate Biopsy Device Using Phase-Only Cross Correlation.

Magnetic Resonance In Medicine 59 (5): 1043-1050 (2008)

Hamzah J, Jugold M, Kiessling F, Rigby P, Manzur M, Marti HH, Rabie T, Kaden S, Gröne H-J, Hämmerling GJ, Arnold B, Ganss R

Vascular normalisation in RGS5-deficient tumours promotes immune destruction.

Nature 453(7193) : 410-4 (2008)

Hövenner JB, Rigotti DJ, Amann M, Liu S, Babb JS, Bachert P, Gass A, Grossman RI, Gonen O  
Whole-brain N-acetylaspartate MR spectroscopic quantification: performance comparison of metabolite versus lipid nulling.

AJNR Am J Neuroradiol 29(8) : 1441-5 (2008)

Jugold M, Palmowski M, Huppert J, Woenne EC, Mueller MM, Semmler W, Kiessling F  
Volumetric high frequency Doppler ultrasound enables the assessment of early antiangiogenic therapy effects on tumor xenografts in nude mice.

Eur Radiol 18 : 753-758 (2008)

Kuder TA, Risse F, Eichinger M, Ley S, Puderbach M, Kauczor HU, Fink C

Three-dimensional parametric visualization of contrast-enhanced perfusion MRI.

Eur Radiol 18 : 291-29 (2008)

Melzer A, Gutmann B, Remmele T, Wolf R, Lukoscheck A, Bock M, Bardenheuer H, Fischer H  
INNOMOTION for Percutaneous Image-Guided Interventions.

IEEE Engineering in Medicine and Biology Magazine 27 (3): 8 (2008)

Menze BH, Kelm BM, Weber M-A, Bachert P, Hamprecht FA

Mimicking the human expert: pattern recognition for an automated assessment of data quality in magnetic resonance spectroscopic images.

Magn. Reson. Med. 59, 1457-1466 (2008)

Molinari F, Puderbach M, Eichinger M, Ley S, Fink C, Bonomo L, Kauczor HU, Bock M

Oxygen-Enhanced Magnetic Resonance Imaging: Influence of Different Gas Delivery Methods on the T1-changes of the Lungs.

Investigative Radiology 43 (6): 427-432 (2008)

Palmowski M, Morgenstern B, Hauff P, Reinhardt M, Huppert J, Maurer M, Woenne EC, Doerk S, Ladewig G, Jenne JW, Delorme S, Grenacher L, Hallscheidt P, Kauffmann GW, Semmler W, Kiessling F  
Pharmacodynamics of streptavidin-coated cyanoacrylate microbubbles designed for molecular ultrasound imaging.

Invest Radiol 43 : 162-169 (2008)

Palmowski M, Hacke N, Satzler S, Klauss M, Wente MN, Neukamm M, Kleef J, Hallscheidt P  
Metastasis to the pancreas: characterization by morphology and contrast enhancement features on CT and MRI.

Pancreatology (in press)

Palmowski M, Huppert J, Ladewig G, Hauff P, Reinhardt M, Mueller MM, Woenne EC, Jenne JW, Maurer M, Kauffmann GW, Semmler W, Kiessling F

Molecular Profiling of Angiogenesis with Targeted Ultrasound Imaging: Early Assessment of Anti-Angiogenic Therapy Effects.

Mol Cancer Ther 7 : 101-09 (2008)

Puderbach M, Risse F, Biederer J, Ley-Zaporozhan J, Ley S, Szabo G, Semmler W, Kauczor HU  
In vivo Gd-DTPA concentration for MR lung perfusion measurements: Assessment with computed tomography in a porcine model.

Eur Radiol (in press)

Schröder L, Schmitz CHJ, Bachert P

Carnosine as molecular probe for sensitive detection of Cu(II) ions using localized <sup>1</sup>H NMR spectroscopy.

Journ. Inorg. Biochemistry 102 : 174-183 (2008)

Unterhinninghofen R, Ley S, Ley-Zaporozhan J, von Tengg-Kobligk H, Bock M, Kauczor H-U, Szabo G, Dillmann R.

Concepts for Visualization of Multidirectional Phase-contrast MRI of the Heart and Large Thoracic Vessels.

Academic Radiology 15 (3) : 361-369 (2008)

## Other Articles

Bäuerle T, Fechtner K, Hillengass J, Kauczor HU, Goldschmidt H, Grenacher L, Delorme S  
Spinal versus whole body MRI in patients with multiple myeloma and monoclonal gammopathy of undetermined significance.

Proc. of the 16th Scientific Meeting of the int. Society for Magnetic Resonance in Medicine, Toronto (2008)

Bock M

Technical Components

In: Magnetresonanztomographie, 1.st english edition (4. Auflage). eds.: Reiser M; Semmler W, Hricak H.: Springer-Verlag Berlin Heidelberg : 76-91 (2008)

Bock M

Flow Phenomena and MR Angiographic Techniques

In: Magnetresonanztomographie, 1.st english edition (4. Auflage). eds.: Reiser M; Semmler W, Hricak H.: Springer-Verlag Berlin Heidelberg : 114-128 (2008)

Bock M, Wacker, F

Interventional MRI

In: Magnetresonanztomographie, 1.st english edition (4. Auflage). eds.: Reiser M; Semmler W, Hricak H.: Springer-Verlag Berlin Heidelberg :1257-1274 (2008)

Bock M, Wacker F

Interventional MR Imaging.

In: Leiner T, Goyen M, Schönberg SO, Rohrer M, editors.  
Clinical Bloodpool MR-Imaging, Springer (2008) (in print)

Bock M, Speier P, Nilles-Vallespin S, Szimtenings M, Leotta K, Rühli F

MRI of an Egyptian Mummy on Clinical 1.5 and 3 T Whole Body Imagers.

Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Bock M, Wönne EC, Kiessling F, Semmler W, Umathum R. High-resolution MRI of Implanted Skin Chambers with Integrated Coils.

Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Chen Y, Peter J, Semmler W, Schulz RB

On the Transition from Ballistic to Diffusive Transport in Highly Scattering Turbid Slabs as observed in the Angular Spectrum: Monte Carlo Simulations.

Proceedings of the Optical Society of America, BSuE50. St. Petersburg (2008)

de Oliveira A, Rauschenberg J, Beyersdorff D, Semmler W, Bock M

A New System for Passive Tracking of a Prostate Biopsy Device with Automatic 3D Needle Position Estimation.

Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Ganten MK, Krautter U, von Tengg-Kobligk H, Böckler D, Schumacher H, Stiller, W, Delorme S,

Kauczor HU, Kauffmann GW, Bock M

Quantification of aortic distensibility in abdominal aortic aneurysm using ECG-gated multi-detector computed tomography.

Eur Radiol 18 (5) : 966-73 (2008)

Hintze C, Stemmer A, Bock M, Kuder T, Risse F, Dinkel J, Puderbach M, Fink C, Kauczor H-U, Biederer J

Lung Cancer Perfusion: Hybrid acquisition technique for 3D MRI to overcome breath hold limitations and minimize motion-related displacement.

Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Homagk A-K, Müller S, Hallscheidt P, Weber MA, Semmler W, Bock M  
Motion-Corrected Intravascular MRI with an Active Tracking Catheter.  
Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Kirsch S, Hull WE  
Time-zero signal truncation in CRAZED experiments due to rephasing gradient delays leads to incorrect frequency-domain lineshapes.  
Proceedings of the 16th Scientific Meeting of the International Society for Magnetic Resonance in Medicine ISMRM (2008)

Korn M, Umathum R, Müller S, Semmler W, Bock M  
A 6-Element Coil Array for Parallel Imaging in Arbitrary Directions.  
Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Krafft A, Jenne J, Rauschenberg J, Semmler W, Stafford RJ, Bock M  
MR-guided HIFU Thermotherapy with a Robotic Assistance System.  
Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Kubo, T, Lin P-J P, Ohno Y, Stiller W, Takahashi W, Kauczor H-U, Hatabu H  
Radiation dose reduction in chest CT: A review.  
American Journal of Roentgenology, Vol. 190, No. 2, February, pp. 335-343 (2008)

Maier CS, Kellman P, Bock M, Semmler W, Lorenz CH  
Image Based Real-Time Monitoring of Cardiac Parameters for Stress Testing or Interventions.  
Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Maier CS, Bock M, Semmler W, Lorenz CH  
Real-Time M-Mode MRI Monitoring of Regional Wall Thickening.  
Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Nagel AM, Laun FB, Weber MA, Schad LR  
Sodium MRI using a density adapted 3D Radial Acquisition.  
Proc Intl Soc Mag Reson Med Toronto 16:3254 (2008)  
Peter J, Umathum R, Schneider K, Schlosser G, Korn M, Bock M, Semmler W  
Fully-Integrated MR-Optical Imaging Concept for Pre-Clinical Applications. Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Rata M, Salomir R, Umathum R, Jenne J, Cotton F, Lafon C, Bock M  
Endoluminal Ultrasound Applicator with an Integrated RF Coil for High-Resolution MRI-guided HIFU Thermotherapy.  
Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Rauschenberg J, Semmler W, Bock M  
PSIF Imaging with Outer Volume Suppression for Percutaneous Interventions. Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Rauschenberg J, Oliveira A, Müller S, Semmler W, Bock M  
Comparison of Two Real Time Tracking Methods for a Robotic Assistance System.  
Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Risse F, Kuder TA, Hintze C, Fink C, Kauczor HU, Semmler W  
Pharmacokinetic Analysis of Contrast-enhanced MRI in Lung Tumors: Comparison to a model-free approach.  
ISMRM (2008), Toronto

Risse F, Eichinger, M, Kauczor HU, Semmler W, Puderbach M  
Improved visualization of delayed contrast agent bolus onset in pulmonary perfusion MRI.  
ISMRM (2008), Toronto

Schad LR  
Functional MRI  
In: Magnetresonanztomographie, 1.st english edition (4. Auflage). eds.: Reiser M; Semmler W, Hricak H.: Springer-Verlag Berlin Heidelberg : 1291-1306 (2008)

Schad LR  
Computer Aided 3D Radiation Planning Using MRI  
In: Magnetresonanztomographie, 1.st english edition (4. Auflage). eds.: Reiser M; Semmler W, Hricak H.: Springer-Verlag Berlin Heidelberg : 1323-1329 (2008)

Schulz J, Hengerer A, Semmler W, Bock M  
A Fast Flow Compensation Technique for Self-Gated Sequences.  
Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine, Toronto (2008)

Schulz J, Wönne EC, Hengerer A, Semmler W, Bock M  
Measurement of R1 Dynamics using a 3D FLASH Variable Flip Angle Sliding Window Technique.  
Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Semmler W  
Molecular Imaging  
In: Magnetresonanztomographie, 1.st english edition (4. Auflage). eds.: Reiser M; Semmler W, Hricak H.: Springer-Verlag Berlin Heidelberg :1381-1407 (2008)

Semmler W, Schlemmer H-P  
Clinical Spectroscopy  
In: Magnetresonanztomographie, 1.st english edition (4. Auflage). eds.: Reiser M; Semmler W, Hricak H.: Springer-Verlag Berlin Heidelberg : 1331-1339 (2008)

Umatham R, Bock M  
Rubber Materials for Active Device Tracking.  
Proc of the 16th Scientific Meeting of the Int Society for Magnetic Resonance in Medicine (2008)

Unholtz D, Schulz RB, Semmler W, Peter J  
A Method for Improving the Spatial Resolution of Images Acquired with a Flat Microlens-Coupled Detector.  
Proceedings of the Optical Society of America, BSuE89. St. Petersburg (2008)